





Table of Contents





SPC Industrial™ is a Michigan-based company with more than 40 years of experience designing and manufacturing ergonomic, safety, and material handling products for industrial use. Each product is made from recycled plastic and built around a patented, no-tool assembly modular system. Partnering with the world's leading industrial supply catalogs and a network of specialty manufacturing representatives, SPC Industrial™ can serve a global market of companies with a personal level of service that exceeds expectations and delivers results.



LIGHTWEIGHT DESIGN



NO-TOOL ASSEMBLY



GRID & SOLID PANELS



DURABLE



CUSTOMIZATION



LOW COST



ERGONOMIC DESIGN



CHEMICAL RESISTANT

Raised Flooring

POLY-RISER™

This temporary or permanent flooring system is an excellent addition to warehouses, manufacturing facilities, and temporary operations. Use to lift heavy containers and equipment off the ground or to surround large machinery to provide a flow-through floor that keeps workers up and out of the way of hazardous chemicals, oils, and wet conditions. This modular system can span horizontally to provide the perfect fit no matter the environment.



| PT# | LxWxH | CAP | WGT |
|-------|--------------------|----------|----------|
| R4824 | 48" x 23" x 1 3/4" | 2000 lbs | 11.5 lbs |
| R9624 | 96" x 23" x 1 3/4" | 4000 lbs | 23 lbs |

POLY-RISER[™] **RAMPS**


Create an easy transition from floor to platform by connecting Poly-Riser Ramps to its corresponding panel using Poly-Clips. Each ramp is made of the same all-plastic material as Poly-Riser, making it perfect for indoor and outdoor use.




| PT# | LxWxH | CAP | WGT |
|--------|-------------------|----------|---------|
| R2412R | 23" x 6" x 1 3/4" | 2000 lbs | 1.5 lbs |
| R4812R | 60" x 6" x 1 3/4" | 2000 lbs | 3.6 lbs |


ADD-A-LEVEL[™]

This modular system is the ideal solution for facilities looking to improve employee ergonomic standards for a safer and more efficient work environment. Raise workers to the appropriate working height using our stackable platform system, which provides height adjustments in increments of 2-5/8". Add-A-Level is the smart, proactive investment in reducing risk factors that lead to musculoskeletal injuries due to improper work positioning or repeated movement.





| ADD-A-LEVEL™ BASE UNIT | | | |
|------------------------|--------------------|---------|--------|
| PT# | LxWxH | CAP | WGT |
| A3616B | 36" x 16" x 2 7/8" | 250 lbs | 9 lbs |
| A6616B | 66" x 16" x 2 7/8" | 500 lbs | 16 lbs |
| A9616B | 96" x 16" x 2 7/8" | 750 lbs | 21 lbs |
| A3624B | 36" x 24" x 2 7/8" | 250 lbs | 12 lbs |
| A4824B | 48" x 24" x 2 7/8" | 250 lbs | 15 lbs |
| A6624B | 66" x 24" x 2 7/8" | 500 lbs | 20 lbs |
| A9624B | 96" x 24" x 2 7/8" | 750 lbs | 30 lbs |
| A3636B | 36" x 36" x 2 7/8" | 250 lbs | 18 lbs |
| A6636B | 66" x 36" x 2 7/8" | 500 lbs | 31 lbs |
| A9636B | 96" x 36" x 2 7/8" | 750 lbs | 45 lbs |



| ADD-A-LEVEL™ ADD-ON UNIT | | | | |
|--------------------------|--------------------|---------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| A3616A | 36" x 16" x 2 5/8" | 250 lbs | 9 lbs | |
| A6616A | 66" x 16" x 2 5/8" | 500 lbs | 16 lbs | |
| A9616A | 96" x 16" x 2 5/8" | 750 lbs | 21 lbs | |
| A3624A | 36" x 24" x 2 5/8" | 250 lbs | 12 lbs | |
| A4824A | 48" x 24" x 2 5/8" | 250 lbs | 15 lbs | |
| A6624A | 66" x 24" x 2 5/8" | 500 lbs | 20 lbs | |
| A9624A | 96" x 24" x 2 5/8" | 750 lbs | 29 lbs | |
| A3636A | 36" x 36" x 2 5/8" | 250 lbs | 18 lbs | |
| A6636A | 66" x 36" x 2 5/8" | 500 lbs | 31 lbs | |
| A9636A | 96" x 36" x 2 5/8" | 750 lbs | 44 lbs | |

ADD-A-LEVEL™ MATTING

Customers looking to enhance their ergonomic solution should consider Add-A-Level™ Matting with their Add-A-Level purchase. This anti-slip, comfort matting is the perfect addition for workstation



| PT# | LxWxH | WGT |
|---------|------------------|--------|
| M163780 | 36" x 16" x 7/8" | 9 lbs |
| M23780 | 36" x 24" x 7/8" | 17 lbs |
| M24780 | 48" x 24" x 7/8" | 22 lbs |
| M25780 | 66" x 24" x 7/8" | 29 lbs |
| M28780 | 96" x 24" x 7/8" | 44 lbs |
| M33780 | 36" x 36" x 7/8" | 25 lbs |
| M35780 | 66" x 36" x 7/8" | 46 lbs |
| M38780 | 96" x 36" x 7/8" | 66 lbs |

ADD-A-LEVEL™ RAISED MATTING

For an all-in-one solution, the Raised Matting system is a kit that comes with an Add-A-Level Base Unit and Matting. In need of additional height? Pair it with the corresponding Add-On Unit.



| PT# | LxWxH | CAP | WGT |
|----------|--------------------|---------|---------|
| A3624BMB | 36" x 24" x 3 3/4" | 250 lbs | 29 lbs |
| A4824BMB | 48" x 24" x 3 3/4" | 250 lbs | 37 lbs |
| A6624BMB | 66" x 24" x 3 3/4" | 500 lbs | 49 lbs |
| A9624BMB | 96" x 24" x 3 3/4" | 750 lbs | 74 lbs |
| A3636BMB | 36" x 36" x 3 3/4" | 250 lbs | 43 lbs |
| A6636BMB | 66" x 36" x 3 3/4" | 500 lbs | 77 lbs |
| A9636BMB | 96" x 36" x 3 3/4" | 750 lbs | 110 lbs |



ADD-A-LEVEL™ STEPS

Make it easier for workers to transition to the top of their Add-A-Level solution using our custom steps. Using a combination of 16" grid top panels, they are stacked and connect horizontally with Poly-Clips to create a solution to fit your needs. For a custom solution, contact your sales representative to get started.

| BASE UNIT | | | |
|-----------|--------------------|---------|--------|
| PT# | LxWxH | CAP | WGT |
| A3616B | 36" x 16" x 2 7/8" | 250 lbs | 9 lbs |
| A6616B | 66" x 16" x 2 7/8" | 500 lbs | 16 lbs |
| A9616B | 96" x 16" x 2 7/8" | 750 lbs | 21 lbs |

| ADD-ON UNIT | | | |
|-------------|--------------------|---------|--------|
| PT# | LxWxH | CAP | WGT |
| A3616A | 36" x 16" x 2 7/8" | 250 lbs | 9 lbs |
| A6616A | 66" x 16" x 2 7/8" | 500 lbs | 16 lbs |
| A9616A | 96" x 16" x 2 7/8" | 750 lbs | 21 lbs |





ADD-A-LEVEL™ RAMPS

Our custom-built wood ramps make it easy to transfer heavy equipment from floor to platform. Connect the ramp to the Add-A-Level platform with clips to keep the entire unit secure. Each ramp features anti-slip grit tape to reduce the risk of workplace injury. Add-A-Level Ramps are compatible when using up to two Add-On Units. Contact your sales representative to discuss potential custom orders.

| PT# | LxWxH | CAP | WGT |
|--------|--------------------|---------|--------|
| R1102 | 24" x 10" x 2 7/8" | 250 lbs | 5 lbs |
| R1103 | 36" x 10" x 2 7/8" | 500 lbs | 7 lbs |
| R1104 | 48" x 10" x 2 7/8" | 750 lbs | 9 lbs |
| R11055 | 66" x 10" x 2 7/8" | 250 lbs | 12 lbs |
| R1108 | 96" x 10" x 2 7/8" | 250 lbs | 18 lbs |
| R110C | 10" x 10" x 2 7/8" | - | 2 lbs |
| R2182 | 24" x 18" x 5 1/2" | 750 lbs | 9 lbs |
| R2183 | 36" x 18" x 5 1/2" | 250 lbs | 14 lbs |
| R2184 | 48" x 18" x 5 1/2" | 500 lbs | 18 lbs |
| R21855 | 66" x 18" x 5 1/2" | 750 lbs | 25 lbs |
| R2188 | 96" x 18" x 5 1/2" | 750 lbs | 35 lbs |
| R218C | 18" x 18" x 5 1/2" | - | 6 lbs |
| R3262 | 24" x 26" x 8 1/8" | 750 lbs | 12 lbs |
| R3263 | 36" x 26" x 8 1/8" | 750 lbs | 18 lbs |
| R3264 | 48" x 26" x 8 1/8" | 750 lbs | 24 lbs |
| R32655 | 66" x 26" x 8 1/8" | 750 lbs | 33 lbs |
| R3268 | 96" x 26" x 8 1/8" | 750 lbs | 48 lbs |
| R326C | 26" x 26" x 8 1/8" | - | 11 lbs |



Dunnage

DUNNAGE-RACK™

Raise bulk products off the ground for an organized workspace. This ergonomic storage solution provides heavy-duty stability and durability for large, stacked items like inventory, chemical containers, and boxes.











| DUNNAGE-RACK™ GRID TOP | | | | |
|------------------------|-----------------|----------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| D3616 | 36" x 16" x 12" | 330 lbs | 10 lbs | |
| D6616 | 66" x 16" x 12" | 602 lbs | 18 lbs | |
| D9616 | 96" x 16" x 12" | 875 lbs | 24 lbs | |
| D3624 | 36" x 24" x 12" | 500 lbs | 13 lbs | |
| D4824 | 48" x 24" x 12" | 700 lbs | 19 lbs | |
| D6624 | 66" x 24" x 12" | 1000 lbs | 23 lbs | |
| D9624 | 96" x 24" x 12" | 1400 lbs | 34 lbs | |
| D3636 | 36" x 36" x 12" | 750 lbs | 22 lbs | |
| D6636 | 66" x 36" x 12" | 1500 lbs | 37 lbs | |
| D9636 | 96" x 36" x 12" | 2000 lbs | 53 lbs | |

| DUNNAGE-RACK™ SOLID TOP | | | | |
|-------------------------|-----------------|----------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| DT3624 | 36" x 24" x 12" | 700 lbs | 17 lbs | |
| DT4824 | 48" x 24" x 12" | 900 lbs | 21 lbs | |
| DT6624 | 66" x 24" x 12" | 1400 lbs | 28 lbs | |
| DT9624 | 96" x 24" x 12" | 1800 lbs | 41 lbs | |
| DT3636 | 36" x 36" x 12" | 1000 lbs | 26 lbs | |
| DT6636 | 66" x 36" x 12" | 1900 lbs | 49 lbs | |
| DT9636 | 96" x 36" x 12" | 2700 lbs | 64 lbs | |

MOBILE DUNNAGE-RACK™

Routine material handling needs don't always call for a fork truck. Quickly transfer bulk storage across busy warehouses, shipping areas, and new storage layouts for increased operational efficiency. The heavy-duty powdercoated steel-reinforced caster chassis allows for maximum capacity while making it easy for workers to get the product where it needs to be.

| PT# | L x W x H | CAP | WGT |
|--------|----------------|----------|---------|
| PT2436 | 36" x 24" x 9" | 1000 lbs | 43 lbs |
| PT2448 | 48" x 24" x 9" | 1000 lbs | 58 lbs |
| PT2466 | 66" x 24" x 9" | 1500 lbs | 71 lbs |
| PT2496 | 96" x 24" x 9" | 2000 lbs | 98 lbs |
| PT3636 | 36" x 36" x 9" | 1000 lbs | 64 lbs |
| PT3666 | 66" x 36" x 9" | 1500 lbs | 103 lbs |
| PT3696 | 96" x 36" x 9" | 2000 lbs | 147 lbs |



DUNNAGE-CUBE™

Fill tight or unusual storage spaces with Dunnage-Cube™. Each Dunnage-Cube can be stacked vertically to add height and connected side by side to create a tailored bulk storage solution.

| PT# | LxWxH | CAP | WGT |
|------------|---------------------|--------------|------------|
| DC240612 | 24" x 12" x 6" | 250 lbs | 6 lbs |
| DC240612x6 | 24" x 12" x 6" (x6) | 250 lbs (x6) | 6 lbs (x6) |







Shelving & Storage

DURASHELF® GRID TOP

As the largest and toughest all-plastic storage solution for industrial and commercial workplaces, our grid top units are built to house all of your essential inventory and back stock. Each shelf features a flow-through pattern, making it ideal for dusty environments as it limits build-up and promotes air circulation. With multi-level shelving configurations available, these units are great for storing cleaning supplies, inventory, cold food containers, chemicals, and more.



| 2 SHELF | | | |
|---------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| S3616B | 36" x 16" x 27" | 340 lbs | 22 lbs |
| S6616B | 66" x 16" x 27" | 615 lbs | 36 lbs |
| S9616B | 96" x 16" x 27" | 900 lbs | 49 lbs |
| S3624B | 36" x 24" x 27" | 500 lbs | 26 lbs |
| S4824B | 48" x 24" x 27" | 690 lbs | 35 lbs |
| S6624B | 66" x 24" x 27" | 925 lbs | 40 lbs |
| S9624B | 96" x 24" x 27" | 1350 lbs | 65 lbs |
| S3636B | 36" x 36" x 27" | 750 lbs | 44 lbs |
| S6636B | 66" x 36" x 27" | 1375 lbs | 74 lbs |
| S9636B | 96" x 36" x 27" | 2015 lbs | 103 lbs |

| | 2 01151 5 | | |
|---------|-----------------|----------|---------|
| | 3 SHELF | | |
| PT# | LxWxH | CAP | WGT |
| S3616x3 | 36" x 16" x 51" | 500 lbs | 35 lbs |
| S6616x3 | 66" x 16" x 51" | 925 lbs | 58 lbs |
| S9616x3 | 96" x 16" x 51" | 1350 lbs | 78 lbs |
| S3624x3 | 36" x 24" x 51" | 750 lbs | 41 lbs |
| S4824x3 | 48" x 24" x 51" | 1015 lbs | 57 lbs |
| S6624x3 | 66" x 24" x 51" | 1390 lbs | 64 lbs |
| S9624x3 | 96" x 24" x 51" | 2025 lbs | 102 lbs |
| S3636x3 | 36" x 36" x 51" | 1125 lbs | 70 lbs |
| S6636x3 | 66" x 36" x 51" | 2065 lbs | 118 lbs |
| S9636x3 | 96" x 36" x 51" | 3025 lbs | 165 lbs |

| 4 SHELF | | | |
|---------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| S3616x4 | 36" x 16" x 75" | 675 lbs | 48 lbs |
| S6616x4 | 66" x 16" x 75" | 1235 lbs | 80 lbs |
| S9616x4 | 96" x 16" x 75" | 1800 lbs | 107 lbs |
| S3624x4 | 36" x 24" x 75" | 1000 lbs | 56 lbs |
| S4824x4 | 48" x 24" x 75" | 1375 lbs | 78 lbs |
| S6624x4 | 66" x 24" x 75" | 1850 lbs | 88 lbs |
| S9624x4 | 96" x 24" x 75" | 2700 lbs | 139 lbs |
| S3636x4 | 36" x 36" x 75" | 1500 lbs | 97 lbs |
| S6636x4 | 66" x 36" x 75" | 2750 lbs | 163 lbs |
| S9636x4 | 96" x 36" x 75" | 4030 lbs | 226 lbs |

DURASHELF® SOLID TOP

Our heavy-duty solid top panels provide added weight capacity with a smooth surface for easy loading and unloading material. As a multi-purpose shelving system, they are ideal for storing bulk inventory, large chemical containers, long pipes, and more.

| | 2 SHELF | | |
|---------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| ST3624B | 36" x 24" x 27" | 660 lbs | 31 lbs |
| ST4824B | 48" x 24" x 27" | 905 lbs | 39 lbs |
| ST6624B | 66" x 24" x 27" | 1210 lbs | 53 lbs |
| ST9624B | 96" x 24" x 27" | 1770 lbs | 76 lbs |
| ST3636B | 36" x 36" x 27" | 985 lbs | 51 lbs |
| ST6636B | 66" x 36" x 27" | 1800 lbs | 85 lbs |
| ST9636B | 96" x 36" x 27" | 2640 lbs | 127 lbs |

| 3 SHELF | | | |
|----------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| ST3624x3 | 36" x 24" x 51" | 990 lbs | 49 lbs |
| ST4824x3 | 48" x 24" x 51" | 1330 lbs | 63 lbs |
| ST6624x3 | 66" x 24" x 51" | 1820 lbs | 84 lbs |
| ST9624x3 | 96" x 24" x 51" | 2650 lbs | 119 lbs |
| ST3636x3 | 36" x 36" x 51" | 1475 lbs | 81 lbs |
| ST6636x3 | 66" x 36" x 51" | 2705 lbs | 135 lbs |
| ST9636x3 | 96" x 36" x 51" | 3960 lbs | 201 lbs |



| 4 SHELF | | | |
|----------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| ST3624x4 | 36" x 24" x 75" | 1320 lbs | 67 lbs |
| ST4824x4 | 48" x 24" x 75" | 1760 lbs | 87 lbs |
| ST6624x4 | 66" x 24" x 75" | 2420 lbs | 115 lbs |
| ST9624x4 | 96" x 24" x 75" | 3540 lbs | 161 lbs |
| ST3636x4 | 36" x 36" x 75" | 1965 lbs | 112 lbs |
| ST6636x4 | 66" x 36" x 75" | 3600 lbs | 186 lbs |
| ST9636x4 | 96" x 36" x 75" | 5280 lbs | 275 lbs |

DURASHELF® ADJUSTABLE GRID TOP

Adjustable shelves let you fit what you want where you want it. Made of the same durable material as our standard grid top unit, panels move up and down in 4-inch increments to optimally utilize the space between shelves. Legs feature pass-through holes to insert pins at the desired height for the panel to rest on top.



| 2 SHELF | | | |
|----------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| AS3616x2 | 36" x 16" x 24" | 338 lbs | 35 lbs |
| AS6616x2 | 66" x 16" x 24" | 618 lbs | 58 lbs |
| AS9616x2 | 96" x 16" x 24" | 900 lbs | 79 lbs |
| AS3624x2 | 36" x 24" x 24" | 500 lbs | 42 lbs |
| AS4824x2 | 48" x 24" x 24" | 688 lbs | 57 lbs |
| AS6624x2 | 66" x 24" x 24" | 925 lbs | 70 lbs |
| AS9624x2 | 96" x 24" x 24" | 1350 lbs | 104 lbs |

| 3 SHELF | | | |
|----------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| AS3616x3 | 36" x 16" x 48" | 500 lbs | 36 lbs |
| AS6616x3 | 66" x 16" x 48" | 925 lbs | 60 lbs |
| AS9616x3 | 96" x 16" x 48" | 1350 lbs | 80 lbs |
| AS3624x3 | 36" x 24" x 48" | 750 lbs | 43 lbs |
| AS4824x3 | 48" x 24" x 48" | 1015 lbs | 59 lbs |
| AS6624x3 | 66" x 24" x 48" | 1390 lbs | 71 lbs |
| AS9624x3 | 96" x 24" x 48" | 2025 lbs | 104 lbs |

| 4 SHELF | | | |
|----------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| AS3616x4 | 36" x 16" x 72" | 675 lbs | 46 lbs |
| AS6616x4 | 66" x 16" x 72" | 1235 lbs | 77 lbs |
| AS9616x4 | 96" x 16" x 72" | 1800 lbs | 104 lbs |
| AS3624x4 | 36" x 24" x 72" | 1000 lbs | 56 lbs |
| AS4824x4 | 48" x 24" x 72" | 1375 lbs | 76 lbs |
| AS6624x4 | 66" x 24" x 72" | 1850 lbs | 93 lbs |
| AS9624x4 | 96" x 24" x 72" | 2700 lbs | 138 lbs |

DURASHELF® ADJUSTABLE SOLID TOP

Redefine the way you think of plastic shelving with a solution that combines higher weight capacity with modularity. Our smooth surface panels easily move up and down in 4-inch increments to optimally utilize the space between shelves. Adjustable legs feature pass-through holes to insert pins at the desired height for the panel to rest on top.



| 3 SHELF | | | |
|-----------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| AST3624x3 | 36" x 24" x 48" | 990 lbs | 52 lbs |
| AST4824x3 | 48" x 24" x 48" | 1330 lbs | 65 lbs |
| AST6624x3 | 66" x 24" x 48" | 1820 lbs | 85 lbs |
| AST9624x3 | 96" x 24" x 48" | 2650 lbs | 125 lbs |



| 4 SHELF | | | |
|-----------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| AST3624x4 | 36" x 24" x 72" | 1320 lbs | 68 lbs |
| AST4824x4 | 48" x 24" x 72" | 1760 lbs | 84 lbs |
| AST6624x4 | 66" x 24" x 72" | 2420 lbs | 110 lbs |
| AST9624x4 | 96" x 24" x 72" | 3540 lbs | 125 lbs |

DURASHELF® 6-INCH RAISED

As the newest addition to the DuraShelf® product line, this shelving unit features the same structural integrity of our standard configurations, with the addition of 6-inch legs propping it up off the ground. The 3-inches of floor clearance allows for easy cleaning under and around the shelving unit. Available in both grid and solid top versions in heights of 2, 3, and 4 shelf configurations.





GRID TOP



| GRID 2 SHELF | | | |
|----------------|-----------------|----------|--------|
| PT# | LxWxH | CAP | WGT |
| RS3624B | 36" x 24" x 30" | 500 lbs | 27 lbs |
| RS4824B | 48" x 24" x 30" | 688 lbs | 37 lbs |
| RS6624B | 66" x 24" x 30" | 925 lbs | 46 lbs |
| RS9624B | 96" x 24" x 30" | 1350 lbs | 68 lbs |



| GRID 3 SHELF | | | |
|----------------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| RS3624x3 | 36" x 24" x 54" | 750 lbs | 43 lbs |
| RS4824x3 | 48" x 24" x 54" | 1151 lbs | 58 lbs |
| RS6624x3 | 66" x 24" x 54" | 1388 lbs | 71 lbs |
| RS9624x3 | 96" x 24" x 54" | 2025 lbs | 106 lbs |



| GRID 4 SHELF | | | | |
|----------------|-----------------|----------|---------|--|
| PT# | LxWxH | CAP | WGT | |
| RS3624x4 | 36" x 24" x 78" | 1000 lbs | 59 lbs | |
| RS4824x4 | 48" x 24" x 78" | 1495 lbs | 80 lbs | |
| RS6624x4 | 66" x 24" x 78" | 1851 lbs | 97 lbs | |
| RS9624x4 | 96" x 24" x 78" | 2700 lbs | 144 lbs | |



SOLID TOP



| SOLID 2 SHELF | | | | |
|-----------------|-----------------|----------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| RST3624B | 36" x 24" x 30" | 660 lbs | 32 lbs | |
| RST4824B | 48" x 24" x 30" | 880 lbs | 41 lbs | |
| RST6624B | 66" x 24" x 30" | 1210 lbs | 55 lbs | |
| RST9624B | 96" x 24" x 30" | 1760 lbs | 79 lbs | |



| SOLID 3 SHELF | | | | |
|-----------------|-----------------|----------|---------|--|
| PT# | LxWxH | CAP | WGT | |
| RST3624x3 | 36" x 24" x 54" | 990 lbs | 50 lbs | |
| RST4824x3 | 48" x 24" x 54" | 1330 lbs | 65 lbs | |
| RST6624x3 | 66" x 24" x 54" | 1820 lbs | 86 lbs | |
| RST9624x3 | 96" x 24" x 54" | 2650 lbs | 122 lbs | |



| SOLID 4 SHELF | | | |
|-----------------|-----------------|----------|---------|
| PT# | LxWxH | CAP | WGT |
| RST3624x4 | 36" x 24" x 78" | 1320 lbs | 68 lbs |
| RST4824x4 | 48" x 24" x 78" | 1760 lbs | 88 lbs |
| RST6624x4 | 66" x 24" x 78" | 2420 lbs | 116 lbs |
| RST9624x4 | 96" x 24" x 78" | 3540 lbs | 160 lbs |

DURASHELF® 12-INCH RAISED


Ergonomics meets a storage solution with this new DuraShelf® offering. Elevated 12-inches off the ground, it's a great storage solution for those looking to make it easier to view and grab items on lower shelves. Available in a two-shelf configuration with optional add-on kits for adding shelves up to four tiers high.





GRID TOP





| GRID BASE UNIT | | | | |
|------------------|-----------------|----------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| W3624B | 36" x 24" x 36" | 500 lbs | 29 lbs | |
| W4824B | 48" x 24" x 36" | 688 lbs | 39 lbs | |
| W6624B | 66" x 24" x 36" | 925 lbs | 48 lbs | |
| W9624B | 96" x 24" x 36" | 1350 lbs | 70 lbs | |


| GRID ADD-ON UNIT | | | | |
|--------------------|-----------------|---------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| S3624A | 36" x 24" x 24" | 250 lbs | 16 lbs | |
| S4824A | 48" x 24" x 24" | 344 lbs | 22 lbs | |
| S6624A | 66" x 24" x 24" | 463 lbs | 26 lbs | |
| S9624A | 96" x 24" x 24" | 675 lbs | 38 lbs | |



SOLID TOP



| SOLID BASE UNIT | | | | |
|-------------------|-----------------|----------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| WT3624B | 36" x 24" x 36" | 660 lbs | 34 lbs | |
| WT4824B | 48" x 24" x 36" | 880 lbs | 43 lbs | |
| WT6624B | 66" x 24" x 36" | 1210 lbs | 57 lbs | |
| WT9624B | 96" x 24" x 36" | 1760 lbs | 81 lbs | |



| SOLID ADD-ON UNIT | | | | |
|---------------------|-----------------|---------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| ST3624A | 36" x 24" x 24" | 330 lbs | 18 lbs | |
| ST4824A | 48" x 24" x 24" | 440 lbs | 24 lbs | |
| ST6624A | 66" x 24" x 24" | 605 lbs | 31 lbs | |
| ST9624A | 96" x 24" x 24" | 880 lbs | 43 lbs | |

MOBILE DURASHELF®

Industrial workplaces looking for mobile storage solutions should highly consider Mobile DuraShelf®. These unique units make it easy to transfer stored items for workplaces with ever-changing layouts. Units have a 4-inch caster system that lets workers move products without ever lifting an item off the shelf. Once it's at the desired location, simply engage the caster locking system to keep the unit in place.




| 3 SHELF | | | | |
|-----------|-----------------|----------|---------|--|
| PT# | LxWxH | CAP | WGT | |
| MDS3624x3 | 36" x 24" x 56" | 600 lbs | 48 lbs | |
| MDS4824x3 | 48" x 24" x 56" | 750 lbs | 65 lbs | |
| MDS6624x3 | 66" x 24" x 56" | 900 lbs | 78 lbs | |
| MDS9624x3 | 96" x 24" x 56" | 1200 lbs | 113 lbs | |

| 4 SHELF | | | | |
|-----------|-----------------|----------|---------|--|
| PT# | LxWxH | CAP | WGT | |
| MDS3624x4 | 36" x 24" x 80" | 600 lbs | 64 lbs | |
| MDS4824x4 | 48" x 24" x 80" | 750 lbs | 87 lbs | |
| MDS6624x4 | 66" x 24" x 80" | 900 lbs | 104 lbs | |
| MDS9624x4 | 96" x 24" x 80" | 1200 lbs | 151 lbs | |

CONTAINMENT TRAYS

Containment Trays are the ideal solution for facilities looking to improve the organization, identification, and storage of chemical solutions. Each tray is designed to fit our 24-inch wide DuraShelf® shelving units and is available in 5 OSHA-approved colors.

| PT# | LxWxH | CAP | WGT | COLOR | CATEGORY |
|-----------|-----------|-------------|----------|--------|-------------------------|
| CT300124 | 30" x 24" | 2.5 Gallons | 0.84 lbs | Black | General Storage |
| CTB300124 | 30" x 24" | 2.5 Gallons | 0.84 lbs | Blue | Health Hazards / Toxics |
| CTR300124 | 30" x 24" | 2.5 Gallons | 0.84 lbs | Red | Flammables |
| CTW300124 | 30" x 24" | 2.5 Gallons | 0.84 lbs | White | Contact Hazards |
| CTY300124 | 30" x 24" | 2.5 Gallons | 0.84 lbs | Yellow | Reactives / Oxidizers |



INDUSTRIAL TOOL CART & RACK

Get help organizing your long-handled tools and equipment with our uniquely designed tool racks. The stationary rack will keep your devices organized and in an easy-to-find location, while the cart will allow you to take them on the go. With up to 56 slots, storing long-handled items such as brooms, mops, pipes, shovels, and more, has never been so easy.



| INDUSTRIAL TOOL CART | | | |
|----------------------|-----------------|---------------|--------|
| PT# | LxWxH | CAP | WGT |
| ITC363724 | 36" x 24" x 37" | 56 item slots | 50 lbs |



| INDUSTRIAL TOOL RACK | | | |
|----------------------|-----------------|---------------|--------|
| PT# | LxWxH | CAP | WGT |
| ITR363024 | 36" x 24" x 30" | 56 item slots | 44 lbs |
| ITR483024 | 48" x 24" x 30" | 48 item slots | 50 lbs |


Modular-Kart[™]

Meet our all-plastic utility cart that improves productivity in busy warehouses, facilities, and temporary field offices. This modular unit can be used as a temporary workstation or to transfer equipment and tools from one place to another quickly and efficiently. Modular-Kart features two shelves for optimal storage and applications with optional add-on shelves to increase storage capacity. Available in grid or solid top configurations.



GRID TOP





| | GRID TOP | | |
|--------|-----------------|----------|--------|
| PT# | LxWxH | CAP | WGT |
| K3624B | 36" x 24" x 32" | 600 lbs | 32 lbs |
| K4824B | 48" x 24" x 32" | 750 lbs | 43 lbs |
| K6624B | 66" x 24" x 32" | 900 lbs | 52 lbs |
| K9624B | 96" x 24" x 32" | 1200 lbs | 75 lbs |

| | GRID TOP ADD-ON UNIT | | | |
|--------|----------------------|----------|--------|--|
| PT# | LxWxH | CAP | WGT | |
| K3624A | 36" x 24" x 24" | 600 lbs | 16 lbs | |
| K4824A | 48" x 24" x 24" | 750 lbs | 22 lbs | |
| K6624A | 66" x 24" x 24" | 900 lbs | 26 lbs | |
| K9624A | 96" x 24" x 24" | 1200 lbs | 38 lbs | |



SOLID TOP



| | SOLID TOP | | |
|---------|-----------------|----------|--------|
| PT# | LxWxH | CAP | WGT |
| KT3624B | 36" x 24" x 32" | 600 lbs | 36 lbs |
| KT4824B | 48" x 24" x 32" | 750 lbs | 47 lbs |
| KT6624B | 66" x 24" x 32" | 900 lbs | 61 lbs |
| KT9624B | 96" x 24" x 32" | 1200 lbs | 86 lbs |



| SOLID TOP ADD-ON UNIT | | | |
|-----------------------|-----------------|----------|--------|
| PT# | LxWxH | CAP | WGT |
| KT3624A | 36" x 24" x 24" | 600 lbs | 18 lbs |
| KT4824A | 48" x 24" x 24" | 750 lbs | 24 lbs |
| KT6624A | 66" x 24" x 24" | 900 lbs | 31 lbs |
| KT9624A | 96" x 24" x 24" | 1200 lbs | 43 lbs |

Work-Bench[™]

WORK-BENCH™

Improve workplace productivity with this versatile workstation solution. Assemble as a workstation with an easy to access shelf to set tools, paperwork, and equipment, or as a storage solution with a larger space to put large boxes and containers. Work-Bench is available in two interchangeable configurations that you can adjust at any point without tools. Its multiple applications and uses are this product's most significant feature.













| | WORK-BENCH™ GRID TOP | | | |
|-------|----------------------|----------|---------|--|
| PT# | LxWxH | CAP | WGT | |
| W3624 | 36" x 24" x 36" | 500 lbs | 29 lbs | |
| W4824 | 48" x 24" x 36" | 688 lbs | 39 lbs | |
| W6624 | 66" x 24" x 36" | 925 lbs | 48 lbs | |
| W9624 | 96" x 24" x 36" | 1350 lbs | 70 lbs | |
| W3636 | 36" x 36" x 36" | 500 lbs | 41 lbs | |
| W6636 | 66" x 36" x 36" | 925 lbs | 70 lbs | |
| W9636 | 96" x 36" x 36" | 1350 lbs | 100 lbs | |

| | WORK-BENCH™ SOLID TOP | | | |
|--------|-----------------------|----------|---------|--|
| PT# | LxWxH | CAP | WGT | |
| WT3624 | 36" x 24" x 36" | 660 lbs | 34 lbs | |
| WT4824 | 48" x 24" x 36" | 880 lbs | 43 lbs | |
| WT6624 | 66" x 24" x 36" | 1210 lbs | 57 lbs | |
| WT9624 | 96" x 24" x 36" | 1760 lbs | 81 lbs | |
| WT3636 | 36" x 36" x 36" | 660 lbs | 48 lbs | |
| WT6636 | 66" x 36" x 36" | 1210 lbs | 81 lbs | |
| WT9636 | 96" x 36" x 36" | 1760 lbs | 122 lbs | |

WORK-BENCH™ ADJUSTABLE

Kick your versatile workstations up a notch with our Adjustable Work-Bench. These units are the ideal choice for creating ergonomic workstations within your facility. Using a specifically designed leg system, you can adjust panels in 4-inch increments to achieve the desired height. Easily change the height as application needs evolve and change.







| WORK-BENCH™ ADJUSTABLE GRID TOP | | | |
|---------------------------------|-----------------|----------|--------|
| PT# | LxWxH | CAP | WGT |
| AW3624 | 36" x 24" x 36" | 500 lbs | 29 lbs |
| AW4824 | 48" x 24" x 36" | 688 lbs | 39 lbs |
| AW6624 | 66" x 24" x 36" | 925 lbs | 48 lbs |
| AW9624 | 96" x 24" x 36" | 1350 lbs | 70 lbs |





| WORK-BENCH™ ADJUSTABLE SOLID TOP | | | |
|----------------------------------|-----------------|----------|--------|
| PT# | LxWxH | CAP | WGT |
| AWT3624 | 36" x 24" x 36" | 660 lbs | 34 lbs |
| AWT4824 | 48" x 24" x 36" | 880 lbs | 43 lbs |
| AWT6624 | 66" x 24" x 36" | 1210 lbs | 57 lbs |
| AWT9624 | 96" x 24" x 36" | 1760 lbs | 81 lbs |

Components



LEG CONNECTOR

| PT# | LxWxH | WGT |
|-------|----------------------|---------|
| C2010 | 2.368" x 2.368" x 3" | 0.2 lbs |



ADJUSTABLE PIN

| PT# | LENGTH | DIAMETER |
|-------|--------|----------|
| DSPIN | 3" | 1/2" |



LEG CAP

| PT# | LxWxH |
|------|----------------------|
| IPLC | 2.368" x 2.368" x 1" |



POLY-CLIP[™]

| PT# | LxWxH | QTY |
|--------|----------------------|-----|
| RC3001 | 2.368" x 2" x 1-1/4" | 1 |
| RC3000 | 2.368" x 2" x 1-1/4" | 4 |



POLY-RISER™ FEET

| PT# | LxWxH | QTY |
|--------|------------------|-----|
| RF3124 | 3/4" x 3/4" x 1" | 15 |
| RF3128 | 3/4" x 3/4" x 1" | 25 |



MAT PLUG

| PT# | LENGTH | DIAMETER | QTY |
|--------|--------|----------|-----|
| MPL001 | 1-1/2" | 1" | 1 |
| MPL004 | 1-1/2" | 1" | 4 |



VERTICAL STACKER

| | PT# | LENGTH | DIAMETER |
|---|--------|----------------------|----------|
| ı | CA2002 | 2.368" x 2.368" x 3" | 2.368" |




ADD-A-LEVEL™ RUBBER FOOT

| PT# | L x W x H |
|--------|--------------------------|
| RF2011 | 2-3/4" x 2-3/4" x 2-1/4" |




CASTER

| PT# | LxWxH | BRAKES |
|--------|--------------|--------|
| CS2088 | 4" x 4" x 5" | No |
| CS2089 | 4" x 4" x 5" | Yes |



GRID PANEL

| PT# | LxWxH |
|-------|--------------------|
| S3616 | 36" x 16" x 2-5/8" |
| S6616 | 66" x 16" x 2-5/8" |
| S9616 | 96" x 16" x 2-5/8" |
| S3624 | 36" x 24" x 2-5/8" |
| S4824 | 48" x 24" x 2-5/8" |
| S6624 | 66" x 24" x 2-5/8" |
| S9624 | 96" x 24" x 2-5/8" |
| S3636 | 36" x 36" x 2-5/8" |
| S6636 | 66" x 36" x 2-5/8" |
| S9636 | 96" x 36" x 2-5/8" |



GRID ADJUSTABLE

| PT# | LxWxH |
|--------|--------------------|
| SH3616 | 36" x 16" x 2-5/8" |
| SH6616 | 66" x 16" x 2-5/8" |
| SH9616 | 96" x 16" x 2-5/8" |
| SH3624 | 36" x 24" x 2-5/8" |
| SH4824 | 48" x 24" x 2-5/8" |
| SH6624 | 66" x 24" x 2-5/8" |
| SH9624 | 96" x 24" x 2-5/8" |
| SH3636 | 36" x 36" x 2-5/8" |
| SH6636 | 66" x 36" x 2-5/8" |
| SH9636 | 96" x 36" x 2-5/8" |



HALF-ROUND PANEL

| PT# | LxWxH | DIAMETER |
|---------|--------------------|----------|
| SRD3015 | 30" x 15" x 2-5/8" | 30" |
| SRD3618 | 36" x 18" x 2-5/8" | 36" |
| SRD4824 | 48" x 24" x 2-5/8" | 48" |
| SRD6030 | 60" x 30" x 2-5/8" | 60" |



SOLID PANEL

| PT# | LxWxH |
|--------|--------------------|
| ST3624 | 36" x 24" x 2-5/8" |
| ST4824 | 48" x 24" x 2-5/8" |
| ST6624 | 66" x 24" x 2-5/8" |
| ST9624 | 96" x 24" x 2-5/8" |
| ST3636 | 36" x 36" x 2-5/8" |
| ST6636 | 66" x 36" x 2-5/8" |
| ST9636 | 96" x 36" x 2-5/8" |



SOLID ADJUSTABLE

| PT# | LxWxH |
|---------|--------------------|
| STH3624 | 36" x 24" x 2-5/8" |
| STH4824 | 48" x 24" x 2-5/8" |
| STH6624 | 66" x 24" x 2-5/8" |
| STH9624 | 96" x 24" x 2-5/8" |
| STH3636 | 36" x 36" x 2-5/8" |
| STH6636 | 66" x 36" x 2-5/8" |
| STH9636 | 96" x 36" x 2-5/8" |



D-SOCKET PANEL

| PT# | LxWxH |
|--------|--------------------|
| SD3624 | 36" x 24" x 2-5/8" |
| SD4824 | 48" x 24" x 2-5/8" |
| SD6624 | 66" x 24" x 2-5/8" |
| SD9624 | 96" x 24" x 2-5/8" |
| SD3636 | 36" x 36" x 2-5/8" |
| SD6636 | 66" x 36" x 2-5/8" |
| SD9636 | 96" x 36" x 2-5/8" |

LEG

| PT# | LENGTH | DIAMETER |
|---------|--------|----------|
| DSLEG6 | 6" | 2.368" |
| DSLEG12 | 12" | 2.368" |
| DSLEG18 | 18" | 2.368" |
| DSLEG24 | 24" | 2.368" |
| DSLEG30 | 30" | 2.368" |
| DSLEG36 | 36" | 2.368" |
| DSLEG72 | 72" | 2.368" |




ADJUSTABLE LEG

| PT# | LENGTH | DIAMETER |
|--------|--------|----------|
| LH2036 | 36" | 2.368" |
| LH2048 | 48" | 2.368" |
| LH2072 | 72" | 2.368" |



ROUND PANEL

| PT# | LxWxH | DIAMETER |
|-------|--------------------|----------|
| SRD30 | 30" x 30" x 2-5/8" | 30" |
| SRD36 | 36" x 36" x 2-5/8" | 36" |
| SRD48 | 48" x 48" x 2-5/8" | 48" |
| SRD60 | 60" x 60" x 2-5/8" | 60" |



Get ideas on how to tackle ergonomic, material handling, and workstation needs with our curated collection of industrial-grade applications using SPC Industrial™ products.



























































Design & Layout Services

Our team works to design and develop custom solutions to fit a multitude of industry spaces and applications. Our free planning and design services provide manufacturers with solutions and recommendations that are flexible and improve efficiency.



DEFINE PROJECT SCOPE

Work with our team to identify opportunities in your facility.



SPACE PLANNING AND DESIGN

After determining your space, we'll customize an initial layout with SPC Industrial products.



IMPLEMENTATION

Let's bring your vision into reality! Our professionals are here to help throughout the ordering process.

The Power of Choice

At SPC Industrial we sell through distributing partners in order to provide you with an array of buying options. We are continuously cultivating relationships with our distributors to ensure you are paired with a knowledgeable product specialist, receive competitive pricing, and personalized attention.

We'll help you through the ordering process by partnering you with a distributor who knows your industry and will meet your product and logistics needs.

WHERE TO BUY











MICHIGAN INDUSTRIAL SUPPLY ...




VIEW OUR FULL
LIST OF
DISTRIBUTOR
PARTNERS

TOGETHER, WE'LL GET IT RIGHT

Don't take on complex problems by yourself. Get started by contacting us today. We're available for on location site visits and one-on-one consultations.

800-523-6899







3401 Chief Dr. Holly, MI 48442



800.523.6899



hello@spcindustrial.com



www.spcindustrial.com

